



# INSTALLATION AND USER MANUAL

## > GALLUS INGROUND



10 ft, 12 ft, 13.5 ft, 14 ft



100 % made in Europe



2.5 million jumps guarantee



62.7 % softer bounce absorption

### **Thank you for choosing Akrobat Trampoline!**

Your trampoline is so much more than just another outdoor toy. It was designed to provide engaging playtime, create fun memories and active exercise to all members of the family, no matter what age. Akrobat trampolines are built to last. Made of best quality European materials and as a result of skilled craftsmanship, your trampoline will serve you for years to come.

Safety comes first! In order to achieve the best trampolining experience that will keep you fit and energised, please read these assembly instructions and safety recommendations thoroughly to minimize any chances of injuries.

# I. WARNINGS!

**Read this manual carefully before assembling and using your trampoline. Keep this manual for future reference.**

The responsibility of the owner is to ensure that all users of the product are fully informed about the proper use of this trampoline and all safety precautions.

Maximum user weight is defined by the size of the trampoline:



|                         |        |
|-------------------------|--------|
| <b>10 ft – 305 cm</b>   | 100 kg |
| <b>12 ft – 366 cm</b>   | 130 kg |
| <b>13.5 ft – 411 cm</b> | 130 kg |
| <b>14 ft – 427 cm</b>   | 130 kg |

- Adult supervision and instruction required at all times.
  - The trampoline has to be assembled by an adult and cautiously inspected before first use.
  - Make sure the safety net and the enclosure poles are correctly and securely positioned. Replace any worn, defective, or missing parts.
  - Minors must be supervised by an adult person regardless of their skills or training. Be sure to prevent access to the trampoline without proper supervision.
  - Check the trampoline before each use. Regular maintenance check-ups of the trampoline and trampoline parts are necessary to prevent injuries. Keeping the trampoline impeccable will prolong the lifetime of your trampoline.
  - Serious injury, paralysis or even death can occur if the trampoline is not used properly.
  - This trampoline is for outdoor use only.
  - Not suitable for children under 36 months - small parts, choking hazard.
  - Wear clothing free of drawstrings, hooks, loops or anything that could get caught while using the trampoline/enclosure and result in entanglement. Do not attach anything to the enclosure that is not a manufacturer-approved accessory or part of the enclosure system.
  - Properly secure the trampoline/enclosure when not in use. Protect it against unauthorized use.
  - Do not allow a child or other persons under the trampoline.
  - Jumping on the trampoline is not recommended during pregnancy.
  - Do not use the trampoline under the influence of alcohol, drugs or heavy medication.
  - Keep all sources of heat and flames away from the product.
  - Always close the net opening before jumping.
  - The jumping mat should be kept clean and dry. Jumping on a wet jumping mat is prohibited in order to avoid slips and falls.
  - Remove footwear before jumping on the trampoline.
  - Do not eat food, sweets or chew gum when bouncing.
  - Bounce in the center of the mat.
  - Stop bouncing by flexing the knees as feet come in contact with the trampoline bed. Learn this skill before attempting other jumps.
  - Do not exit by a jump – always walk on and off. It is a dangerous practice to jump from the trampoline to the floor or ground when dismounting, or to jump onto the trampoline when mounting. Do not use the trampoline as a springboard to other objects. Do not jump from other objects, buildings, or surfaces, onto the trampoline, or into or over the trampoline enclosure.
  - Avoid bouncing too high or for too long, make regular breaks.
- Stay low to control your bounce and repeat landing in the center of the trampoline. Always control your bounce. Control is more important than height.
- Do not attempt or allow somersaults. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- No more than one person is allowed to use the trampoline at a time. Collision hazard: multiple jumpers increase the chances of loss of control and this can result in serious injury.
  - Misuse or abuse of the trampoline is dangerous and can result in serious injury.
  - Glasses, jewellery and similar objects should be taken off before entering the trampoline. Empty your pockets and keep your hands free when jumping. Always jump on the middle of the jumping mat.
  - Do not sit on the trampoline safety pad and do not stand on the edge while another person is jumping.
  - Keep small children away from the trampoline while others are bouncing on it, because the edge can move in and out vigorously.
  - Trampoline should be placed on a level grass surface or soft surface such as sand or bark. Do not use trampoline on hard surfaces as asphalt, concrete or other similar surfaces. Do not place trampoline around swimming pools, swings, slides, climbing walls etc.
  - Do not use the trampoline in windy weather. If you are using a safety net, remove and store it for better weather conditions.
  - Installation of this trampoline requires digging a trampoline pit. Before installing the trampoline make sure that your ground will drain well. We advise to get help by a professional if you are not sure about the quality of the ground or other issues regarding the digging.
  - Remove all hard objects around and under the trampoline. There should be no objects – such as fences, roofing, tree branches, laundry ropes, electrical cables etc. – anywhere near or above the trampoline. Clear the surroundings for at least 2 metres in every direction.
  - Ensure there is 6 meters free head space above the trampoline.
  - Each modification made to the trampoline must be approved by the manufacturer.
  - When moving the trampoline, disassemble it in reverse order of assembling. Move to desired location and re-assemble according to these instructions.
  - In our commitment to customer satisfaction and safety, please check our website regularly for important customer updates and all trampoline specifications.
  - For additional information concerning the trampoline equipment, please contact the manufacturer or regularly check our website for important customer updates.

## 2. TRAMPOLINE PARTS

|                                  |                                | Gallus<br>Inground 10ft<br>(305 cm) | Gallus<br>Inground 12ft<br>(366 cm) | Gallus<br>Inground 13.5ft<br>(366 cm) | Gallus<br>Inground 14ft<br>(427 cm) |   |
|----------------------------------|--------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|-------------------------------------|---|
| <b>Part A</b>                    | Frame sections                 | 8 pcs                               | 8 pcs                               | 8 pcs                                 | 8 pcs                               |    |
| <b>Part B</b>                    | Jumping mat                    | 1 pc                                | 1 pc                                | 1 pc                                  | 1 pc                                |    |
| <b>Part C</b>                    | Springs                        | 80 pcs                              | 96 pcs                              | 104 pcs                               | 104 pcs                             |    |
| <b>Part D</b>                    | Frame pad                      | 1 pc                                | 1 pc                                | 1 pc                                  | 1 pc                                |    |
| <b>Part E</b>                    | Frame pad elastics             | 16 pcs                              | 16 pcs                              | 16 pcs                                | 16 pcs                              |    |
| <b>Part F</b>                    | Retaining PVC panels           | 8 pcs                               | 8 pcs                               | 8 pcs                                 | 8 pcs                               |   |
| <b>Part G</b>                    | Screws for panels              | 34 pcs                              | 34 pcs                              | 34 pcs                                | 34 pcs                              |  |
| <b>Safety net assembly parts</b> |                                |                                     |                                     |                                       |                                     |   |
| <b>Part H</b>                    | Top frame part - short         | 4 pcs                               | 4 pcs                               | 4 pcs                                 | 4 pcs                               |  |
| <b>Part I</b>                    | Top frame part - long          | 4 pcs                               | 4 pcs                               | 4 pcs                                 | 4 pcs                               |  |
| <b>Part J</b>                    | Net pole with PVC sleeve       | 7 pcs                               | 7 pcs                               | 7 pcs                                 | 7 pcs                               |  |
| <b>Part K</b>                    | Screw for net pole             | 9 pcs                               | 9 pcs                               | 9 pcs                                 | 9 pcs                               |  |
| <b>Part L</b>                    | Enclosure door with safety net | 1 pcs                               | 1 pcs                               | 1 pcs                                 | 1 pcs                               |  |
| <b>Part M</b>                    | Elastic toggle                 | 32 / 64 pcs                         | 32 / 64 pcs                         | 44 / 88 pcs                           | 44 / 88 pcs                         |  |
| <b>Part N</b>                    | Net rope                       | 2 / 1 pcs                           | 2 / 1 pcs                           | 2 / 1 pcs                             | 2 / 1 pcs                           |  |
| <b>Part O</b>                    | Top PVC skirt                  | 1 pcs                               | 1 pcs                               | 1 pcs                                 | 1 pcs                               |  |




## 3. ASSEMBLY AND INSTALLATION

We recommend at least two people to assemble the trampoline. Use gloves to protect your hands from pinch points and sharp points during assembly. Do not apply excessive force during assembly that will cause damage to the product.

**TOOLS:** You will need a cross-head screwdriver for the retaining wall PVC panels.

### Assembling the frame

**1** Lay the frame sections (Part A) into a circle with the spring holes facing upwards. Push all sections together until all are fully mated together.



#### AKROBAT HINT:


For easier assembling of frame parts apply some grease for bearings to all junctions.

Please note: On the long sides, the frame will appear to bow outwards - this is by design. When the springs are attached the frame will pull inwards, but always have a slide outward bow.

**Important: all trampoline sizes are approximate and can be up to +/- 3" (2.5 cm) different to those that we publish.**

### Fitting the mat and installing the springs

**2** Lay the mat flat inside the frame. Make sure the logo is facing upwards. In order to make the installation of the jumping mat easier, find the four rings in the 12, 3, 6 and 9 o'clock position directly opposite each other and attach four springs on these locations first. Then continue by attaching springs to every eighth ring, followed by every fourth and so on until all springs are attached.



#### AKROBAT HINT:

Springs can be hard to attach, you will need a little force. Help yourself by using one spring to pull another towards the frame holes. Do not forget to wear gloves!



At first, it may look like the mat won't fit, it will however stretch to the correct size when you finish attaching all springs.



**Important:** Be sure all spring hooks are well attached to the frame.

## Attaching the PVC retaining panels

3

The next step is screwing the PVC retaining wall panels to the frame. You will need the cross-head screwdriver and gloves. Take one panel and place it against the outside of the frame. You will find four holes in the frame and four holes in the wall panel. Insert and tighten the four screws to attach the panel tightly to the frame. Repeat with all remaining panels.




## Digging the trampoline pit

4

Position the frame on the location you chose and mark the position on the ground. It's best to mark out a hole a bit wider than the diameter of your trampoline.

This will make it easier for you to put the frame in and find the right level. Dig the pit to the following dimensions:

| TRAMPOLINE SIZE          |                          |                           |
|--------------------------|--------------------------|---------------------------|
| Dimension A – Outer hole | Dimension B – Inner hole | Dimension C – Total depth |
| 10 ft / cca. 305 cm      | 265 cm                   | 75 cm                     |
| 12ft / cca. 366 cm       | 326 cm                   | 90 cm                     |
| 13.5ft / cca. 411 cm     | 371 cm                   | 90 cm                     |
| 14ft / cca. 427 cm       | 387 cm                   | 90 cm                     |



The hole should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

First, dig the outer hole to create a ledge for your trampoline frame, which needs to be 25cm deep. This is the exact frame height, so that the safety pad on top of the frame will be just above the grass level. Continue by digging the inner hole.

Dig the inner hole according to the dimensions of your trampoline and with a bowl-shaped bottom. The inner hole should be 40 cm narrower than the trampoline size. This will leave a 20 cm ledge all around on which the trampoline will sit.

### AKROBAT HINT:

It's a relatively easy task to hand dig the hole for smaller size trampolines, but it would be best to hire a mini digger able to excavate most of the soil and leave you with the finishing touches.

Note: You will need to save some of the soil for later.

## Placing the trampoline into the pit

5

Carefully place the trampoline on the ledge covered with the weed protection. Fill the remaining free space around the trampoline with the remaining soil, then cut off the excess material of the weed protection.

Check that the trampoline is well levelled. You may want to remove the trampoline to make any adjustments to the height that the frame is sitting on. Aim for the trampoline jumping mat to sit flush to the ground.

There should be no gap between your ground and your trampoline.

Finally, re-lay the saved soil around the trampoline and compact down as much as possible.




### NOTE:

If you want to avoid grass growing under your trampoline, weed protection cover is available as a separate item for purchase at your seller.

## Attaching the frame pad

6

Lay the safety pad on top of the trampoline, aligning the pad section joints with the joints of the frame and the eyelets facing up. Insert the elastic toggles through the eyelets so the loop end of the tie faces outwards and the toggle end is on the inside.



7

Flip the frame pad over and pull the elastic band around the frame. Insert the toggle into the loop, then rotate the toggle inwards to secure it. Repeat with all frame pad elastics.



### Important:

The frame pad must cover the entire frame and all springs.








**AKROBAT HINT:**

If you find it too difficult to get the toggles in place, wedge a screwdriver carefully between the frame and PVC panel to attach the toggle. Using a flat-head screwdriver (or similar), push the loop end between the wall panel and frame. Insert the toggle from underneath and rotate to secure. Repeat with all elastics.

**Installation of the safety net**

**1** Start assembling the safety net by inserting the enclosure pole attached to the door (Part L) into the frame part with T-socket.


Insert the bottom part of the door and start unrolling the safety net around the mat. Make sure the net is not twisted. After unrolling the entire net, insert the final pole in the socket next to the door - be sure to close the door on the inside of the trampoline before inserting the last pole.



**2** Start inserting the first pole left from the door. Keep the bottom edge of the net stretched before inserting the next enclosure pole. Take the net near the door and pull tightly towards the first pole before inserting the pole through the net and into the socket.

Continue by inserting all of the poles into the sockets, all the way stretching the bottom edge of the net, in order to make sure that the safety net fits tightly around the trampoline.


**NOTE:**  
If you find the net too short/long towards the end, adjust the entire netting starting from the door towards the last pole.



**3** To assemble the top frame., take the shorter top frame part with a hole in the middle (Part H). This pole should be attached above the door and tightened with the connector screw into the top of the enclosure pole.

Continue by attaching two top frame parts together, then taking a connector screw and tightening it into the top of the enclosure pole.


**Important:**  
There are two sizes of top frame parts – alternate them according to the frame legs above which the longer top frame parts should be placed.





4

Now hang the top edge of the net around the connector screws. In order to come all the way around the frame stretch the netting the same way as while attaching the bottom part.




5

Take the black rope and web it loosely around the top rail and the net. Web the rope through every 4th hole on the top edge of the net. Then return to the beginning and tighten the rope, tying it around the screw on the last enclosure pole.



**NOTE:**

If your trampoline parts set includes one rope only, use half of the remaining elastic toggles to attach the top edge of the net.




6

Next, take the protection foam and place it on the top rail to form a full circle. Follow by covering with the top PVC skirt, tying it with the black rope. Attach the cord around the last screw.



7

Finally, attach the bottom edge of the netting to the frame and around the spring with the remaining toggle elastics.



## 4. TRAMPOLINE MAINTENANCE

Check your trampoline before each season thoroughly – particularly the frame, frame pad, springs, jumping mat and safety net. We advise regular check-ups during the season as well. In contrary, damaged parts could be overlooked, which may result in severe accidents or injuries.

Your check list should include following points:

- All parts are well attached.
- All springs are well secured to the frame and the rings on the jumping mat.
- The trampoline has no damages, such as rips, holes, sharp, twisted or broken parts. If you notice any damage, change the parts immediately.
- Check the safety net and the poles for potential damages and replace the safety net every 5 years.

For the best maintenance of your trampoline, also make sure no animals are allowed on the trampoline as they could damage both the frame pad and the jumping mat.

The trampoline should be disassembled and withdrawn from use at once in case of any damage or missing parts until the defects are repaired or parts replaced.

Extreme weather conditions can impact the trampoline materials, therefore follow these recommendations:

- Disassemble the safety net in case of strong wind and weigh the trampoline down. Store the safety net in a safe place.
- Remove the jumping mat during winter season as the weight of the snow could damage the mat.
- Protect the trampoline from direct heat, fire, sparks and fireworks.
- Protect your trampoline from heavy rain and snow as well.

The trampoline pit should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

### Cleaning the trampoline:

All Akrobat trampoline mats and frame pads are made of durable high-quality materials and should not be cleaned with any aggressive cleaning products! Trampoline surfaces are best cleaned with mild soapy water and thoroughly rinsed with water afterwards.

**Remember, the trampoline should only be used by one person at the time!**

**Maximum user weight is defined by the size of the trampoline:**



|                  |        |
|------------------|--------|
| 10 ft – 305 cm   | 100 kg |
| 12 ft – 366 cm   | 130 kg |
| 13.5 ft – 411 cm | 130 kg |
| 14 ft – 427 cm   | 130 kg |

**PLEASE KEEP THIS MANUAL FOR LATER USE.**

## CONGRATULATIONS!

**Your Akrobat trampoline is now ready to be used. Enjoy!**

If this is your first trampoline, we advise you to start by learning the basic jumps described in this manual.

## 5. TRAMPOLINE ACCESSORIES

### Akrobat trampoline weather cover

Providing year-round maximum protection from damage caused by weather and debris, Akrobat trampoline cover increases the lifespan of your trampoline and adds durability for countless jumping moments. It is made of UV-resistant high-quality PVC and available for all sizes and shapes of Akrobat trampolines.



### Akrobat UV PVC protectant spray

All weather conditions and UV-radiation PVC trampoline protectant spray leaves an enduring dirt resilient finish, keeping PVC surfaces clean of soil, sweat, body oils and other. It will protect your frame pad from UV rays and extend the lifetime of PVC trampoline parts. It is safe to use on all PVC parts.

### Akrobat trampoline shoe mat

The shoe mat helps you to stand comfortable, while taking the shoes off. It also helps keeping the trampoline nice and tidy.



### Akrobat trampoline socks

Durable trampoline socks with high quality grips ensure a higher level of safety. The traction material used on the soles of the socks provides friction that reduces sliding and can decrease the likelihood of accidents. In case of numerous users, the socks also help control the spreading of microbes which can be exchanged between bare feet.

### Akrobat weed barrier

When installing an in-ground trampoline, it is advised to cover the hole with a weed membrane, which will stop the weeds from growing underneath your trampoline. This way, you can prevent weeds to grow through the springs and obstruct the jumping experience.



## 6. JUMPING INSTRUCTIONS

Each jumper must start by learning slow and controlled jumps. Safe landings are the base of trampoline jumping skills and are important to learn at the beginning. Lack of these skills may result in severe injuries.

Both jumper and instructor should keep in mind that steady balance at each jump represents the base of successful trampoline jumping.

**The stopping technique is equally important as jumping.** Correct stopping represents one of the most important safety precautions in trampoline jumping. When losing control of the jump and/or balance the jumper has to react quickly to prevent injuries. In order to achieve this, the jumper should simply bend his knees before landing on the jumping mat. This is the safest way to stop the jump and prevent accidents.

While learning and training trampoline jumps, it is advised to have a persons standing around the trampoline in order to help the jumper if needed. Trampoline jumping is a physical strain and shouldn't last too long. A tired jumper can easily succumb to errors in jumping thus highly increasing risk of injury.

High trampoline jumps are considered advanced jumps and should not be allowed to inexperienced jumpers. It is extremely important to be sure that the height of the jump corresponds to the experience of the jumper.

### PLEASE NOTE:



Beginners should learn the basic body positions and practice the basic bounces described in this manual.



To learn how to balance and jump, stand in the middle of the jumping area and bounce softly up and down to control the movement. Increase the intensity gradually, returning to the same position on the jumping mat with each bounce.



Focus on the jumping mat when jumping, failing to do so may quickly result in losing balance and falling.





Do not perform somersaults without supervision! Somersaults should be carried out only by experienced jumpers under supervision of an expert and using appropriate safety measurements.



## 7. BASIC TRAMPOLINE JUMPS

### THE JUMPING JACK:

1. Start from a standing position with feet in shoulder width, head up and eyes on the trampoline mat.
2. Swing your hands forward, above your head and back in a circular motion.
3. Bring your feet together in mid-air and point your toes.
4. Land back on the center of the mat with your feet in shoulder width (the same as the starting position).





### THE FRONT DROP:

1. Start by softly bouncing up and down a few times.
2. Jump upwards and land with your hands and knees forward.
3. Push yourself off with your hands and jump back to the upright position.

### THE PRAYING MANTIS:

1. Start with a low bounce.
2. Land on your knees in shoulder width, keeping your back straight and keep your arms stretched out to maintain balance.
3. Bounce back to the starting position by using the bounce momentum and swinging your arms upwards.





### BOTTOM BOUNCE:

1. Start with a basic starting position. Jump up, aiming to the center of the jumping mat.
2. Land with your legs stretched in front of you, with hands on both side of your hips and keep your back straight
3. Push yourself up with your hands to rebound to the starting position.

### THE PANCAKE DROP:

1. Start off with a soft, low jump upwards.
2. Let yourself fall on your front, placing your hands on the jumping mat in front of you.
3. Push yourself up to the starting position.





### THE TURTLE DROP:

1. Start with a soft upwards jump.
2. Land on your back, keeping your chin close to your chest and your knees bent. Keep your chin towards your chest as you land.
3. Kick your legs forward in order to jump up and land in the starting position.

### THE ROLLING STONE:

1. Start from the front drop position and push to the left or right with your arms to start turning.
2. Turn your head and shoulders in the direction that your body is turning.
3. Keep your back parallel with the jumping mat and your head straight.
4. Return to the lying position to finish the jump, lying in the opposite direction as at the beginning.



### THE FLYING BALLERINA:

1. Start with the sitting position.
2. Jump and turn your head left or right and swing your hands in the same direction to turn in the air.
3. Follow the motion with your hips to complete the turn.
4. Land in the sitting position to complete the jump.

You now master the basic jumps and are ready to jump even higher!

**But remember to always stay in control of your jumps.**

**ENJOY IN PURSUING YOUR PASSION FOR JUMPING!**

# REPORT OF REGULAR DAILY VISUAL TRAMPOLINE EXAMINATION

The purpose of inspection is identifying any obvious defects and sources of danger on the outside of the trampoline, which are easily visible from the ground without the use of auxiliary objects. This covers cleanliness, various obstacles or objects that are close to the trampoline, missing parts, trampoline or jumping mat damages and excessive wear, etc.

Examination frequency: examinations should be performed daily before use and before each use.

| DATE | HOUR | Trampoline is / is not suitable | Checked by | Signature | Notes |
|------|------|---------------------------------|------------|-----------|-------|
|------|------|---------------------------------|------------|-----------|-------|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |

# REPORT OF MONTHLY OPERATIONAL TRAMPOLINE INSPECTION

The purpose of operational inspection is to check the trampoline in detail - it's stability and functionality. Especially identifying any obvious defects of wear due to vandalism and/or normal use of the trampoline. This includes surfacing, safety distance, installation of accessories, labelling, stability and the overall level of wear of the trampoline.

In case of damaged trampoline or it's parts, missing parts or other defects the trampoline must be removed from use until all the defects are repaired.

Incorrect maintenance will result in discontinuing the validity of the trampoline warranty and the manufacturer's liability for any accidents which may occur.

Examination frequency: examinations should be performed at least once a month.

| DATE | HOUR | Trampoline is / is not suitable | Checked by | Signature | Notes |
|------|------|---------------------------------|------------|-----------|-------|
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |
|      |      |                                 |            |           |       |



# MAIN ANNUAL INSPECTION REPORT

**Purpose:** The main inspection shall be carried out in accordance with manufacturer's instructions on maintenance in order to ensure the level of safety of the trampoline, its base, supporting structure and parts of the trampoline (e.g. wear and possible overall changes in the safety of the trampoline caused by improper changes or repair).

Failure to record regular inspections will result in discontinuing the validity of the trampoline warranty and the manufacturer's liability for any accidents which may occur.

**Examination Period:** at least once a year.

**Reviewer:** An authorized person by the manufacturer or an expert approved by the manufacturer.

| REVIEWED ELEMENTS  | YES | NO |
|--|-----|----|
| <b>A. Trampoline base inspection</b>   |     |    |
| Visual inspection of the trampoline base: The trampoline is stable and on a levelled surface.              |     |    |
| <b>B. Trampoline construction inspection</b>   |     |    |
| Visual inspection of the metal construction  |     |    |
| Inspection of all structural elements and junctions: connecting elements, legs, rails, sockets, springs... |     |    |
| Conformity of the structural elements with the design check-up   |     |    |
| Condition of PVC and textile parts: frame pad, safety net, skirt and weather cover check-up                |     |    |
| <b>C. Jumping mat inspection</b>   |     |    |
| Visual inspection of the jumping mat   |     |    |
| <b>D. PVC parts inspection</b>   |     |    |
| Visual inspection of PVC parts: frame pad, safety net, skirt and weather cover check-up                    |     |    |
| Repair or replacement of damaged parts   |     |    |
| <b>E. Overview of safety instructions for the trampoline</b>   |     |    |
| <b>F. Remarks and observations</b> (any defects or damages must be defined and recorded in this field)     |     |    |
|  |     |    |

Date and hour:

Inspected by:

Trampoline is / is not suitable

Signature



 **KROBAT**  
PASSION FOR JUMPING







[www.akrobat.com](http://www.akrobat.com)  
[www.trampoline-park.eu](http://www.trampoline-park.eu)





Črmošnjice 5b  
8000 Novo mesto  
Slovenia

E: [info@akrobat.com](mailto:info@akrobat.com)  
T: +386 730 800 60

[www.akrobat.com](http://www.akrobat.com)  
[www.trampoline-park.eu](http://www.trampoline-park.eu)

